Cell and Tissue Research

Continuation of Zeitschrift für Zellforschung und mikroskopische Anatomie

Vol. 156 · 1974/75

Editors

W. Bargmann, Kiel

D. S. Farner, Seattle

A. Oksche, Giessen

B. Scharrer, New York



Cell and Tissue Research

This journal was founded in 1924 as the Zeitschrift für Zellen- und Gewebelehre, from Vol. 2 (1925) it was published with the subtitle: Continuation of the Schultze-Waldeyer-Hertwig Archiv für mikroskopische Anatomie. Zeitschrift für Zellforschung und mikroskopische Anatomie (Vols. 1-20) (1934) as: Zeitschrift für wissenschaftliche Biologie (Abteilung B) edited by R. Goldschmidt, W. von Möllendorff, H. Bauer, J. Seiler. Vols. 2-28 (1938) edited by R. Goldschmidt and W. von Möllendorff. Vols. 29-33 (1944) as: Zeitschrift für Zellforschung und mikroskopische Anatomie, Abteilung A. Allgemeine Zellforschung und mikroskopische Anatomie, edited by W. von Möllendorff and J. Seiler, from Vol. 34 without the subtitle, Abteilung A, Allgemeine Zellforschung und mikroskopische Anatomie, From Vol. 36 (1951) edited by W. Bargmann, J. Seiler; from Vol. 53 (1960) edited by W. Bargmann, B. Scharrer, J. Seiler; from Vol. 83 (1967) edited by W. Bargmann, D. S. Farner, A. Oksche, B. Scharrer, J. Seiler; from Vol. 125 (1972) edited by W. Bargmann, D. S. Farner, F. Knowles, A. Oksche, B. Scharrer, Beginning with Vol. 125 (1972) with the subtitle Cell and Tissue Research and beginning with Vol. 148 (1974) under the title Cell and Tissue Research and the subtitle Continuation of Zeitschrift für Zellforschung und mikroskopische Anatomie.

Published: Vols. 34—35 (1948—1950) Springer, Wien, from Vol. 36 Springer, Berlin.

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions, also in microform, is transferred to the publisher.

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Springer-Verlag, Berlin·Heidelberg·New York

Printers: Universitätsdruckerei H. Stürtz AG, Würzburg

Printed in Germany — © by Springer-Verlag Berlin-Heidelberg 1974/75


Inhalt/Contents

Abbolinš-Krogis, A.: A Study of ¹⁴ C-proline and ¹⁴ C-hydroxyproline Incorporation in
Abolinš-Krogis, A.: A Study of ¹⁴ C-proline and ¹⁴ C-hydroxyproline Incorporation in
Different Homogenate Fractions of the Hepatopancreas of the Snail, Helix pomatia 1, 217
Arnold, W., s. Mitrenga, D. et al
Avrameas, S., s. Kuhlmann, W. D
Bäck, N., s. Partanen, S., et al
Baker, B. L., Ya-Yen Yu.: Immunocytochemical Analysis of Cells in the Pars tuberalis
of the Rat Hypophysis with Antisera to Hormones of the Pars distalis 443
Baylé, JD., s. Brown, N. L., et al
Braak, H.: On Club-shaped Neurons Establishing Part of the Deep Moiety of Layer VI
in the Human Isocortex. A Golgi and Pigmentarchitectonic Study
Briles, W. E., s. Schjeide, O. A., et al
Brown, N. L., Baylé, JD., Scanes, C. G., Follett, B. K.: Chicken Gonadotrophins: Their
Effects on the Testes of Immature and Hypophysectomized Japanese Quail 499
Call, R. N., Janssens, P. A.: Histochemical Studies of the Adrenocortical Homologue in the
Kidney of the Australian Lungfish, Neoceratodus forsteri
Campbell, G. R., Chamley, J. H.: Thick Filaments in Vertebrate Smooth Muscle 201
Chamley, J. H., s. Campbell, G. R
Diederen, J. H. B.: Influence of Ambient Temperature on Growth Rate of Reissner's Fibre
in Rana esculenta (Short Communication)
Dierickx, K., s. Vandesande, F. et al
Dupont, A., s. Pelletier, G. et al
Eide, A.: The Effect of Oestradiol on the DNA Synthesis in Neonatal Mouse Uterus
and Cervix
Eränkö, O., s. Hervonen, H
Ewijk, W. van, s. Veerman, A. J. P
Fischer, A.: Stages and Stage Distribution in Early Oogenesis in the Annelid, Platy-
nereis dumerilii
Follett, B. K., s. Brown, N. L., et al
Friberg, U., s. Thyberg, J., et al
Geuze, J. J., Kramer, M. F.: Function of Coated Membranes and Multivesicular Bodies
during Membrane Regulation in Stimulated Exocrine Pancreas Cells
Haffen, K., s. Kedinger, M., et al
Håkanson, R., s. Larsson, LI., et al.
Hanzely, L., s. Schjeide, O. A., et al.
Heap, P. F., Jones, C. W., Morris, J. F., Pickering, B. T.: Movement of Neurosecretory
Product through the Anatomical Compartments of the Neural Lobe of the Pituitary
Gland. An Electron Microscopic Autoradiographic Study
Hervonen, H., Eränkö, O.: Fluorescence Histochemical and Electron Microscopical Ob-
servations on Sympathetic Ganglia of the Chick Embryo Cultured with and without
Hydrocortisone
Hoage, T. R., s. Pool, T. B
Holshouser, S. J., s. Schjeide, O. A., et al
Hugon, J. S., s. Kedinger, M., et al
Humphreys, P. N.: The Differentiation of the Acrosome in the Spermatid of the Budge-
rigar (Melopsittacus undulatus)
Janssens, P. A., s. Call, R. N
Jensen, H.: Ultrastructural Studies of the Hearts in Arenicola marina L. (Annelida:
Polychaeta)
innes. U. W., S. Heap, I. I., O we
Kedinger, M., Haffen, K., Hugon, J. S.: Organ Culture of Adult Guinea-Pig Intestine.
III. Mitotic Activity and Celular Migration

Kishi, K.: Fine Structural and Cytochemical Observations on Lamellar Bodies in Nerve Cells of the Medulla oblongata of the Rat	345
Komnick, H., Wichard, W.: Chloride Cells of Larval Notonecta glauca and Naucoris	
cimicoides (Hemintera Hydrocorisae). Fine Structure and Cell Counts at Different	790
Salinities	539
Kramon M F a Coura J J	1
Kratzing, J. E.: The Fine Structure of the Olfactory and Vomeronasal Organs of a Lizard	220
(Tiliana scincoides scincoides)	239
Kuhlmann W D. Ayrameas, S.: Lymphocyte Differentiation and Antibody Synthesis	
in the Secondary Immune Response of Peroxidase Stimulated Lymph Nodes of Rat	391
Lane N. J. Abbott N. J.: The Organization of the Nervous System in the Crayfish Pro-	
cambarus clarkii, with Emphasis on the Blood-brain Interface	173
Larsson, LI., Sundler, F., Håkanson, R.: Immunohistochemical Localization of Human	
Pancreatic Polypeptide (HPP) to a Population of Islet Cells	167
Mayersbach, H. v., s. Mitrenga, D., et al.	359
Mey. J. De., s. Vandesande, F., et al	377
Mitrenga, D., Arnold, W., Müller, O., Mayersbach, H.v.: The Fate of Injected Human IgG	
in the Mouse Liver. Uptake, Immunological Inactivation, and Lysosomal Reactions	359
	483
	317
Müller, O., s. Mitrenga, D., et al.	359
Müller, W.: Temporal Progress of Muscle Adaptation to Endurance Training in Hind	
Limb Muscles of Young Rats. A Histochemical and Morphometrical Study	61
Newell, P. F., s. Skelding, J. M.	381
Nilsson, S., s. Thyberg, J., et al.	273
Noack, W., s. Wolff, J. R., et al.	89
Partanen, S., Rechardt, L., Bäck, N.: Histochemical Observations on Uptake of L-dopa	
into Endocrine Cells of the Rat Pituitary Gland during the Postnatal Development	451
Pelletier, G., Dupont, A., Puviani, R.: Ultrastructural Study of the Uptake of Peroxidase	
by the Rat Median Eminence	521
Pickering, B. T., s. Heap, P. F., et al.	483
Polenz, A., s. Wessing, A.	21
Pool, T. B., Hoage, T. R.: Intranuclear and Cytoplasmic Annulate Lamellae in Grass-	
hopper Spermatocytes (Genus Melanoplus)	475
Puviani, R., s. Pelletier, G., et al.	521
Rajan, K. T., s. Wolff, J. R., et al.	89
Rechardt, L., s. Partanen, S., et al	451
Sanders, E. J.: Aspects of Furrow Membrane Formation in the Cleaving Drosophila	
Embryo	463
Scanes, C. G., s. Brown, N. L., et al.	499
Schjeide, O. A., Hanzely, L., Holshouser, S. J., Briles, W. E.: Production and Fates of	
Unique Organelles (Transosomes) in Ovarian Follicles of Gallus domesticus under	
Various Conditions	47
Schubert, Ch.: Fine Structural and Enzyme Histochemical Observations on the Dorsal	
Tail Tubercle of Mertensiella caucasica (Urodela, Amphibia)	103
Skelding I M Newell P F . On the Functions of the Dans Coll : 11 G	
Tissue of Terrestrial Pulmonate Molluscs	381
John of the optic Hose in Cartinas machas (L)	403
Stanka, P.: Electron Microscope Study on the Occurrence of Electron-Dense Deposits	200
at the Cell Membrane of Chicken Erythrocytes	223
Sundler, F., s. Larsson, LI., et al.	167
Thyberg, J.: Electron Microscopic Studies on the Uptake of Exogenous Marker Particles	101
by Different Cell Types in the Guinea Pig Metaphysis	201
Thyberg, J., Moskalewski, S., Friberg, U.: Electron Microscopic Studies on the Uptake	301
of Colloidal Thorium Dioxide Particles by Isolated Fetal Guinea-Pig Chondrocytes	
and the Distribution of Labeled Lysosomes in Cartilage Formed by Transplanted	
Chondroevtes Chondroevtes	
Chondrocytes	317

Thyberg, J., Nilsson, S., Friberg, U.: Electron Microscopic and Enzyme Cytochemical	
Studies on the Guinea Pig Metaphysis with Special Reference to the Lysosomal System	
of Different Cell Types	273
Tichy, H.: Unusual Fine Structure of Sensory Hair Triad of the Millipede, Polyxenus.	229
Vandesande, F., Dierickx, K., Mey, J. De: Identification of the Vasopressin-Neurophysin	
II and the Oxytocin-Neurophysin I Producing Neurons in the Bovine Hypothalamus	189
Vandesande, F., Dierickx, K., Mey, J. De: Identification of the Vasopressin-Neurophysin	
Producing Neurons of the Rat Suprachiasmatic Nuclei	377
Veerman, A. J. P., Ewijk, W. van: White Pulp Compartments in the Spleen of Rats and	
Mice. A Light and Electron Microscopic Study of Lymphoid and Non-Lymphoid Cell-	
types in T- and B-Areas	417
Wabnitz, R. W.: Functional States and Fine Structure of the Contractile Apparatus of	
the Penis Retractor Muscle (PRM) of Helix pomatia L	253
Wessing, A., Polenz, A.: Structure, Development and Function of the Protonephridia in	
Trochophores of Pomatoceros triqueter (Annelida, Polychaeta, Sedentaria)	21
Wichard, W., s. Komnick, H.	539
Wolff, J. R., Rajan, K. T., Noack, W.: The Fate and Fine Structure of Fragments of	
Blood Vessels in CNS Tissue Cultures	88
Ya-Yen Yu, s. Baker, B. L.	443

Indexed in Current Contents



Instructions to Authors

1. Manuscripts should be submitted in duplicate, typed double-spaced, with wide margins and on one side of the paper only. They should be carefully prepared in the style of this journal and checked before being submitted. Typing errors should be corrected legibly.

The material should be arranged under the following headings: Introduction, Material and Methods, Results, Discussion and References. The text should be concise and consistent as to spelling, abbreviations, etc. Pages should be consecutively numbered. The desired position of figures and tables should be marked in the margin. Changes in the proofs should be kept to a minimum; a charge will be made for changes introduced after the manuscript has been set in type.

Papers must be written in English, thus ensuring the widest possible readership. Authors not wholly familiar with English usage are advised to seek the help of an English-speaking colleague. Editorial assistance with the language is available when needed. However, correct language is the responsibility of the author(s).

Manuscripts which have been heavily corrected by the copy editor will be returned to the author for retyping.

Brief accounts of particularly interesting results will be printed out of turn as "Short Communications". They should not exceed 2 or at the most 3 printed pages including a table or figure, should this be necessary. The Editors reserve the right to decide what constitutes a "Short Communication".

- 2. Each paper should be preceded by a brief summary of not more than 200 words. Authors may append a German or French summary to their manuscripts if they wish.
- 3. Key words. Immediately following the summary not more than 5 English key words should be supplied for subject indexing. Key words should be taken from the Index Medicus (Medical Subject Headings) or, failing this, composed on the same principles.
- 4. On the first page of the manuscript the author should furnish the following information: Title, Author(s), Department, Running head (condensed title), not exceeding 72 letters and spaces, and Address to which proofs should be sent.
- 5. Dedications and short acknowledgements to persons and organizations should be inserted as footnotes on the first page. Footnotes which do not belong to the head of the article should be numbered consecutively.
- 6. Small print. Text of secondary importance, including Material and Methods, should appear in small print and must be marked as such.
- 7. Literature references. In the text, names of authors should be followed by the year of publication (in parentheses). Where there are more than two authors, only the first is named, followed by "et al". All papers mentioned in the text, and only these, should be cited in the bibliography.

In the bibliography the following information should be provided for journal articles: names and initials of all authors, complete title of paper, name of journal (abbreviated in accord with World Medical Periodicals), number of volume, first and last pages, and year of publication.

Books are cited by listing the authors' names, full title, edition, place of publication, publisher and year.

The bibliography, to be placed at the end of the paper, should be in alphabetical order. Several publications by the same author or group of authors should be listed in chronologica order; those that appear in the same year should be distinguished by the suffixes a, b, c, etc.

8. Illustrations. All figures including graphs are to be numbered consecutively as text figures (arabic numerals). They must be submitted in finished form on separate sheets. All should have descriptive legends. These must be typed (double-spaced) in numerical order and placed at the end of the manuscript. As with the text, a duplicate set of illustrations is necessary to facilitate editorial processing.

The number and size of the illustrations must be kept to the minimum required for clarification of the text. Previously published figures cannot be accepted. Explanations of figures furnished as legends should not be repeated in the text. Numerical data given in graphs or tables must not duplicate each other. As a rule, requests for color reproductions cannot be approved unless the author(s) bear the costs. The journal is not subsidized in any way. Therefore, when papers have an excessive number of illustrations (even though the editors agree that they are essential) it is necessary to ask the author, or his institution, to make a contribution toward the cost of reproduction.

From the technical point of view, there are two types of illustrations, line cuts (black and white, with no variation in tone or shading) and halftones (photographs or drawing with variations in shading). Halftones should be submitted only if line cuts (with stippling, cross-hatching, etc.) cannot adequately convey the information intended.

- a) Line Cuts. Line drawings and graphs should be drawn in Indian ink in clean, uniform lines on smooth white paper or Bristol board. Lettering should be sufficiently large so that it will be clearly legible after any reduction that might be necessary to conform to the format of the journal.
- b) Halftones. Micrographs must be clean, glossy prints in sharp focus and with strong contrast. They must be trimmed at precise right angles. Only one of the two sets of illustrations should be mounted for use by the engraver. It is not necessary to mount the illustrations on cardboard or Bristol board. Careful mounting on letter-size paper is quite adequate. After reduction illustrations must not exceed the printed area of one page. Smaller figures should be grouped in plates with spaces of not more than about 1 mm between the individual figures. Halftones should be trimmed so as to eliminate all unnecessary parts.

The lettering of electron micrographs with Letraset (instant lettering) is recommended; authors should take into consideration reductions called for during the printing process. If the labelling with Letraset is not possible it is done by the publisher in a size adjusted to the scale of reproduction. In this case lettering must be placed on a transparent cover sheet. This overlay may also show any edges which should be trimmed off. Lead-lines or arrows may also be drawn on the overlay, an end point should be marked by pricking the original with a fine pin.

The author's name, and instructions regarding the desired linear reduction or magnification should be indicated on the reverse side of the illustration in soft lead pencil. It must be emphasized that the maximum area available for the reproduction of a figure (or an array) is $122 \times 195 \text{ mm} (4^3/_4 \times 7^1/_2 \text{ inches})$.

- 9. Tables should be numbered consecutively in arabic numerals. They should be typed on separate sheets.
- 10. Mailing. Manuscripts and illustrations should be well packed in order to avoid damage in transit.